

THREE LEGS TINEAMED ANTI-FUNGAL SPRAY 1%W/V

Terbinafine Hydrochloride 1%w/v

What is in this leaflet

1. What Three Legs TineaMed Anti-Fungal Spray 1%w/v is used for
2. How Three Legs TineaMed Anti-Fungal Spray 1%w/v works
3. Before you use Three Legs TineaMed Anti-Fungal Spray 1%w/v
4. How to use Three Legs TineaMed Anti-Fungal Spray 1%w/v
5. While you are using it
6. Side effects
7. Storage and Disposal of Three Legs TineaMed Anti-Fungal Spray 1%w/v
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision
11. Serial Number

What Three Legs TineaMed Anti-Fungal Spray 1%w/v is used for

It is used for the treatment of fungal skin infections such as athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis), pityriasis versicolor (tinea versicolor) and cutaneous candidiasis.

How Three Legs TineaMed Anti-Fungal Spray 1%w/v works

Terbinafine is an allylamine which has a broad spectrum of antifungal activity in fungal infections of the skin. Its action being fungicidal against dermatophytes, moulds and certain dimorphous fungi. It has a fungicidal or fungistatic action on yeasts depending on the species involved.

Before you use Three Legs TineaMed Anti-Fungal Spray 1%w/v

- When you must not use it

Do not use it if you are allergic to any ingredients of Three Legs TineaMed Anti-Fungal Spray 1%w/v.

Three Legs TineaMed Anti-Fungal Spray 1%w/v is not recommended for pregnant and breast-feeding women.

- Before you start to use it

Please consult your doctor or pharmacist before using this product if you have any medical conditions.

Pregnancy and lactation

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine.

Unless the potential benefits outweigh any potential risks, it should not be administered during pregnancy. Terbinafine is excreted in breast milk and although the amount involved is small, mothers should not receive it whilst breast-feeding. Infants should also not be allowed to come into contact with any treated skin, including the breast.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Three Legs TineaMed Anti-Fungal Spray 1%w/v

- How much to use

Adult and Children from 12 years old: Cleanse and dry the affected area thoroughly before application. Spray Three Legs TineaMed Anti-Fungal Spray 1%w/v to the affected area once a day for one week. The treatment should be continued for 2 weeks after the disappearance of all signs of infection to prevent recurrence. Consult the doctor if there are no signs of improvement after 4 weeks.

- When to use it

Please follow the advice of the doctor or pharmacist.

- How long to use it

Apply this medicine as stated in the leaflet without exceeding the dosage. Please follow the advice of the doctor or pharmacist.

- If you forget to use it

Use it as soon as you remember. If you only remember at the time of the next application, just apply the usual amount and skip the missed dose. Do not apply a double dose to make up for a missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital if you think you or anyone else may have used too much of this medicine.

If you accidentally ingested a large amount of this medicine, symptoms may include headache, nausea, vomiting, epigastric pain and dizziness.

In case of accidental oral ingestion, gastric lavage and / or symptomatic supportive treatment should be performed as soon as possible.

While you are using Three Legs TineaMed Anti-Fungal Spray 1%w/v

- Things you must do

Use your medicine exactly as your doctor or pharmacist has told you.

Tell your doctor immediately if you become pregnant while using this medicine.

- Things you must not do

Do not give Three Legs TineaMed Anti-Fungal Spray 1%w/v to anyone else, even if they have the same symptoms or condition as you.

THREE LEGS TINEAMED ANTI-FUNGAL SPRAY 1%W/V

Terbinafine Hydrochloride 1%w/v

- Things to be careful of

For external use only. Avoid contact or use the medication in the eyes, nose, or mouth or inside the vagina. If you do get the medication in those areas, flush with plenty of water. Not to be taken orally.

Side effects

Like all medicines, Three Legs TineaMed Anti-Fungal Spray 1%w/v can cause side effects, although not everybody gets them.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

Redness, itching or stinging may occur at the site of application.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring or visiting the website npra.gov.my [Consumers →Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Three Legs TineaMed Anti-Fungal Spray 1%w/v

- Storage

Store below 30°C. Protect from light. Keep out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Clear colourless solution with characteristic odour.

- Ingredients

- Active ingredient
Terbinafine Hydrochloride

- Inactive ingredients
Methylated Spirit (contains 57.24%v/v alcohol), Propylene Glycol, Fragrance & Purified Water

- MAL number:

MALXXXXXXX

Manufacturer and Product

Registration Holder

Syarikat Wen Ken Drug Sdn Bhd
24, Jalan Lambak,
Taman Johor,
81200 Johor Bahru,
Johor, Malaysia.

Date of revision

09/10/2025

Serial Number

NPRA (R2) 25/086