DEX-I/S1/P2-025/L3/M1-10

Emidex

Dexmedetomidine 200mcg/2mL

For Intravenous Use Only

100mcg/mL Concentrate for
Solution for Infusion

MUST BE DILUTED

25 x 2mL Single Dose
Fliptop Vials

Emidex

Dexmedetomidine 200mcg/2mL

For Intravenous Use Only

100mcg/mL Concentrate for
Solution for Infusion

MUST BE DILUTED

25 x 2mL Single Dose
Fliptop Vials

Each mL contains 118 mcg of Dexmedetomidine Hydrochloride equivalent to 100 mcg of Dexmedetomidine.

Controlled Medicine

KEEP OUT OF REACH OF CHILDREN
JAUHI UBAT DARIPADA KANAK-KANAK

Storage:
Store below 30°C.

Storage condition after dilution:
Stored at room temperature (<30°C) up to 48 hours.

For single use only. Discard Unused Portions.

Dosage and Administration:
See package insert for further required dilution.

Product Registration Holder:
Novugen Pharma Sdn. Bhd.
No.3, Jalan Jururancang U1/21, Hicom Glenmarie Industrial Park,
40150 Shah Alam, Selangor, Malaysia.

Manufactured by:
Jiangsu Hengrui Pharmaceuticals Co., Ltd.
38 Huanghe Road, Economic & Technological Development Zone,
Lianyungang, Jiangsu 222047, China.

MAL21036022AZ

LOT
MFG
EXP

9 551015 220071