

BIOLIFE GLUCOSAMINE 750MG TABLET

Glucosamine sulfate 750 mg

What is in this leaflet

1. What BiO-LiFE Glucosamine 750mg Tablet is used for
2. How BiO-LiFE Glucosamine 750mg Tablet works
3. Before you use BiO-LiFE Glucosamine 750mg Tablet
4. How to use BiO-LiFE Glucosamine 750mg Tablet
5. While you are using BiO-LiFE Glucosamine 750mg Tablet
6. Side effects
7. Storage and disposal of BiO-LiFE Glucosamine 750mg Tablet
8. Product description
9. Manufacturer
10. Product registration holder
11. Date of revision

What BiO-LiFE Glucosamine

750mg Tablet is used for

BiO-LiFE Glucosamine 750mg Tablet is used as an additive therapy for degenerative joint disease.

How BiO-LiFE Glucosamine 750mg Tablet works

BiO-LiFE Glucosamine 750mg Tablet provides relief to sufferers of joint disease by reducing joint swelling and relieving associated pain.

Before you use BiO-LiFE Glucosamine 750mg Tablet

- When you must not use it

- Do not take this medicine if you are allergic to glucosamine, and/or allergic to shellfish or other excipients.
- Do not take this medicine after the expiry date printed on the pack or if the packaging is torn or shows signs of tampering.
- If you are not sure whether you should start taking this medicine, talk to your doctor or pharmacist.

- Before you start to use it

- Tell your doctor or pharmacist if you have allergies to any other medicines, foods, preservatives or dyes.

- Tell your doctor or pharmacist if you are pregnant, plan to become pregnant or you are breast-feeding.

- Taking other medicines

- Tell your doctor or pharmacist if you are taking any other medicines, including any that you get without a prescription from your pharmacy, supermarket or health food shop.
- Diabetes medication may interfere with this product.

How to use BiO-LiFE Glucosamine 750mg Tablet

Follow all direction given to you by your doctor or pharmacist carefully.

- How much to use

Adults and children over 12 years: Take one tablet two times per day with meals or as directed by a doctor or pharmacist.

- When to use it

Take while symptoms occur and take with food or immediately after meals.

- How long to use it

If symptoms are not relieved or any new symptoms appear, you should consult a doctor or pharmacist.

- If you forget to use it

Take the missed dose as soon as you remember it. However, if it is almost time for the next dose, skip the dose you missed and use your next dose when you are meant to. Do not take a double dose to make up for a missed one.

- If you use too much (overdose)

Seek medical advice if you think you or anyone else may have taken too much BiO-LiFE Glucosamine 750mg Tablet.

While you are using BiO-LiFE Glucosamine 750mg Tablet

- Things you must do

Talk to your doctor or pharmacist if your symptoms do not improve.

- Things you must not do

- Do not take BiO-LiFE Glucosamine 750mg Tablet to treat any other complaints unless your doctor or pharmacist tells you to.
- Do not give your medicine to anyone else, even if they have the same condition as you.

- Things to be careful of

Be careful driving or operating machinery until you know how BiO-LiFE Glucosamine 750mg Tablet affects you.

Side effects

- BiO-LiFE Glucosamine 750mg Tablet is generally well tolerated by the majority of people, however, the following adverse effects where observed, are usually of a mild and short term: drowsiness, headaches, inability to sleep, nausea, vomiting, diarrhea, indigestion, constipation, heartburn, skin redness, itching, swelling of lower limbs and increased heart rate.
- You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835499, or visiting the website nppra.moh.gov.my [Consumer → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of BiO-LiFE Glucosamine 750mg Tablet

- Storage

- Keep your medicine in the original package until it is time to take.
- Keep your medicine in a cool dry place where the temperature stays below 30°C.
- Do not store medicine in the bathroom or near a sink. Do not leave it on a window sill or in the car. Heat and dampness can destroy some medicines.
- Keep it where children cannot reach it.

- Disposal

Ask your pharmacist what to do with any medicine that is left over, or if the expiry date has passed.

Product Description

- What it looks like

White film coated capsule shaped tablet

- Ingredients

Each tablet contains:

Glucosamine sulfate 2KCL 1000mg
equivalent to:

Glucosamine sulfate 750 mg

Inactive ingredients are Silica colloidal anhydrous, copovidone (PVP/VA copolymer), magnesium stearate, opadry II 85G58923 white, cellulose microcrystalline, acacia spray dried.

- MAL Number:

MAL08032203XR

Manufacturer

MEGA LIFESCIENCES

(AUSTRALIA) PTY. LTD.

(A.C.N. 076 713 392)

60, National Avenue, Pakenham,

Victoria 3810, Australia

Product Registration Holder

MEGA LIFESCIENCES SDN.

BHD.

B-28-02, The Ascent, Paradigm,

No.1, Jalan SS7/26A, Kelana Jaya,

47301 Petaling Jaya, Selangor,

Malaysia.

Distributed by:

BiO-LiFE Marketing Sdn Bhd

Date of revision

6th December 2019

Serial Number:

NPRA(R4/1)280619/00179