

URINEX

Soft Gelatin Capsules (S.G. Caps)
(Enteric coated)

For Renal and Urinary
Disorders
and Urolithiasis

Composition:

Each URINEX S.G.Capsule contains:

Pinene ($\alpha + \beta$)	31 mg
Camphene	15 mg
Borneol	10 mg
Fenchone	4 mg
Anethole	4 mg
Cineole	3 mg

Color of capsule shell : Yellow.

Appearance : 3 round SGC.

Color of content: Pale yellow or greenish yellow.

Odor and taste of content: Strong aromatic odor and taste resembling that of anise oil and fennel oil.

Homogeneity of content: Homogeneous.

Properties:

URINEX is a well tolerated accurate dose of terpene mixture that provides marked subjective improvement in painful renal disorders and urinary stones. URINEX is eliminated from the body in the urine as glucuronides which stabilize urinary colloids, increase calcium salt solubility and help breakdown of urinary stones. URINEX also increases renal blood flow resulting in increased urine excretion which helps flush stones from urinary passages. The hyperemic effect on renal mucous membranes reduces the pain associated with inflammation. In addition, the antispasmodic effect of URINEX via its action on urinary smooth muscles facilitates the elimination of stones and reduces the spasm which causes renal and ureteric colic.

Indications:

- Treatment of urinary tract spasm and inflammation associated with urolithiasis.
- Assist in Dissolution and expulsion of stone in renal system.

Dosage:

Adults: One capsule 3 - 4 times daily half an hour before meals, or as directed by the physician.

Contraindications:

Hypersensitivity to any component of the drug.

Warnings and Precautions:

- In case of acute or severe urinary tract infections, urine culture and sensitivity tests must be carried out and the specific antimicrobial

agent must be given.

- Caution should be used in patients receiving oral anticoagulants or other agents metabolized by the liver where the dose is critical.
- Reducing fat intake in the diet is advisable.

Side effects:

URINEX is safe and well tolerated with no side effects.

Pregnancy and lactation:

No adequate studies are reported; it is advisable to use the drug during pregnancy and lactation as recommended by the physician.

Drug interactions:

None reported

Interference with laboratory tests:

None reported.

Overdosage and treatment:

Accidental ingestion of high doses of the drug causes gastrointestinal disturbance. Treatment is symptomatic.

Packing:

A box containing 24 URINEX Soft Gelatin Capsules (Enteric-Coated).

Storage:

Store below 30°C and protect from moisture.

Keep out of the reach of children.

Manufactured by:

European Egyptian Pharmaceuticals Industries - Amriya, Alexandria
- Cairo desert road Km 25

For: Pharco Pharmaceuticals Amriya - Alexandria

Address: Kilo 31 Alex, Cairo Desert Road, Amriya, Alexandria, Egypt.

Product Registration Holder :

Pharco Health Sdn Bhd

Address: Unit No. 643, PKNS BizPoint

No. 67B, Tingkat 2, Jalan Plumbum P7/P

Seksyen 7, 40000 Shah Alam

Selangor, Malaysia

Tel: +603 5566 8571 Fax: +603 5525 0040

Importer :

J.BIO MEDIC MARKETING SDN BHD

Address:

LOT 8839, NO.162-C SECTION 64 1ST FLOOR,

JALAN SEKAMA 93300

KUCHING - MALAYSIA

Revised date : 12 / 2025

PHARCO
PHARMACEUTICALS

115 x 170 MM

1084

1239055478

8.12.2025