

ClariClear® Nasal Spray 0.05%

Oxymetazoline Hydrochloride 0.05%w/v

What is in this leaflet

1. What *CLARICLEAR* is used for
2. How *CLARICLEAR* works
3. Before you use *CLARICLEAR*
4. How to use *CLARICLEAR*
5. While you are using it
6. Side effects
7. Storage and Disposal of *CLARICLEAR*
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What *CLARICLEAR* is used for

CLARICLEAR is indicated for the symptomatic relief of nasal and nasopharyngeal congestion due to the common cold, sinusitis, hay fever or other upper respiratory allergies.

How *CLARICLEAR* works

CLARICLEAR contains the active substance oxymetazoline hydrochloride. It constricts the arteriolar network within the nasal mucosa producing a prolonged decongestant effect.

Before you use *CLARICLEAR*

- When you must not use it
 - If you are allergic to any of the ingredients
 - If you have heart or blood vessel disease
 - If you have an overactive thyroid
 - If you are a man with prostate problems
- Before you start to use it
Talk to your doctor or pharmacist before taking *CLARICLEAR*

Do not exceed the recommended dosage and it may cause rebound congestion if used for longer than three days.

- Taking other medicines

Tell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines, including medicines obtained without a prescription.

If you are taking:

- Medicines for depression (e.g. tricyclic antidepressants, maprotiline, monoamine oxidase inhibitors)

How to use *CLARICLEAR*

Check the seal is not broken before first use. If it is, do not use the medicine.

- How much to use

For adults and children six years of age and older: two or three sprays into each nostril.

- When to use it

Twice daily, morning and evening

- How long to use it

Do not use it more than 3 days unless your doctor tells you to.

- If you forget to use it

Use it as soon as you remember, unless is very near to the next dose. Do not combine the missed dose as it may cause overdose.

- If you use too much (overdose)

Contact your pharmacist or doctor if you have used *CLARICLEAR* more than the recommended number of sprays.

While you are using it

- Things you must do

During each administration, the patient should bend his head slightly forward and squeeze bottle quickly and firmly to spray the recommended number of sprays in each nostril.

- Things you must not do

CLARICLEAR is not to be used during pregnancy unless the potential benefits outweigh the risks.

- Things to be careful of

If *CLARICLEAR* is shared by more than one person may spread infection. *CLARICLEAR* is not recommended for use in children under six years of age and must keep out of reach of children.

Side effects

Most people will not have problems, but some may get some of these:

- Irritation to the nose
- Return of your symptoms if used for a long time

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npa.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

ClariClear[®] Nasal Spray 0.05%

Oxymetazoline Hydrochloride 0.05%w/v

Storage and Disposal of CLARICLEAR -

Storage

Keep this medicine out of the sight and reach of children.

Store below 30°C.

Use by the date on the side panel.

- MAL number:

MAL21116009ACSZ

Manufacturer

DELPHARM Montreal 3535

Trans-Canada Highway,

Pointe-Claire, QC

Canada, H9R 1B4

Product Registration Holder

Bayer Co.(Malaysia) Sdn Bhd

25-03 & 25-04,

Level 25, IMAZIUM,

No. 8, Jalan SS21/37,

Damansara Uptown,

47400 Petaling Jaya, Selangor

- Disposal

Do not throw away any medicines via wastewater or household waste.

Ask your pharmacist how to throw away medicines you no longer use.

These measures will help protect the environment.

Product Description

- What it looks like

CLARICLEAR is a clear, colourless solution with a slight odour, free from foreign matter.

Date of revision

May 2022

Serial Number

NPRA (R1/2) 05072022/214

- Ingredients

- **Active ingredient**

Each ml of CLARICLEAR contains 0.5mg (0.05%) oxymetazoline hydrochloride.

- **Inactive ingredients Preservative:**

- *Benzalkonium chloride*

Others:

- *Sodium hydroxide*
- *Sodium dihydrogen phosphate dihydrate*
- *Disodium edetate*
- *Propylene glycol*
- *Hydrochloric acid*
- *Purified water*